
$\mathcal{W} \stackrel{\otimes}{\nearrow}$

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 69/744,100A
Source: Pur/09
Date Processed by STIC: 1/19/2002

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE: SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility-that-the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom, including:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- Hand Carry directly to:
 U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
 - U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202



PCT09

RAW SEQUENCE LISTING DATE: 01/19/2002 PATENT APPLICATION: US/09/744,100A TIME: 11:42:19

Input Set : A:\bbl174 seq listing.txt
Output Set: N:\CRF3\01182002\I744100A.raw

12 <140> CURRENT APPLICATION NUMBER: US/09/744,100A

13 <141> CURRENT FILING DATE: 2001-01-18

15 <150> PRIOR APPLICATION NUMBER: 60/093,209

16 <151> PRIOR FILING DATE: 1998-07-17

18 <160> NUMBER OF SEQ ID NOS: 12

10 <130> FILE REFERENCE: BB-1174

20 <170> SOFTWARE: Microsoft Office 97

ERRORED SEQUENCES

551 <210> SEQ ID NO: 12 see 3,5,7-14 552 <211> LENGTH: 345 553 <212> TYPE: PRT 554 <213> ORGANISM: Artificial Sequence 556 <220> FEATURE: 557 <223> OTHER INFORMATION: Description of Artificial Sequence: CONSENSUS 559 <220> FEATURE: 560 <221> NAME/KEY: UNSURE 561 <222> LOCATION: (2) 562 <223> OTHER INFORMATION: Xaa=Leu or Met 564 <220> FEATURE: 565 <221> NAME/KEY: UNSURE 566 <222> LOCATION: (3) 567 <223> OTHER INFORMATION: Xaa=Leu or Ala 569 <220> FEATURE: 570 <221> NAME/KEY: UNSURE 571 <222> LOCATION: (4) 572 <223> OTHER INFORMATION: Xaa=Thr, Ala, or Gly 574 <220> FEATURE: 575 <221> NAME/KEY: UNSURE 576 <222> LOCATION: (5) 577 <223> OTHER INFORMATION: Xaa=Pro or none 579 <220> FEATURE: 580 <221> NAME/KEY: UNSURE 581 <222> LOCATION: (6) 582 <223> OTHER INFORMATION: Xaa=Trp, His, or none

584 <220> FEATURE:

Input Set : A:\bbl174 seq listing.txt
Output Set: N:\CRF3\01182002\1744100A.raw

585 <221> NAME/KEY: UNSURE 586 <222> LOCATION: (7) 587 <223> OTHER INFORMATION: Xaa=Leu or none 589 <220> FEATURE: 590 <221> NAME/KEY: UNSURE 591 <222> LOCATION: (8)..(9) 592 <223> OTHER INFORMATION: Xaa=Ser, Ala, or none 594 <220> FEATURE: 595 <221> NAME/KEY: UNSURE 596 <222> LOCATION: (10) 597 <223> OTHER INFORMATION: Xaa=Ser, Lys, or Pro 599 <220> FEATURE: 600 <221> NAME/KEY: UNSURE 601 <222> LOCATION: (11) 602 <223> OTHER INFORMATION: Xaa=Lys, Ser, Thr, or Ala 604 <220> FEATURE: 605 <221> NAME/KEY: UNSURE 606 <222> LOCATION: (12) 607 <223> OTHER INFORMATION: Xaa=Leu or Phe 609 <220> FEATURE: 610 <221> NAME/KEY: UNSURE 611 <222> LOCATION: (13) 612 <223> OTHER INFORMATION: Xaa=Pro, Thr, or none 614 <220> FEATURE: 615 <221> NAME/KEY: UNSURE 616 <222> LOCATION: (14) 617 <223> OTHER INFORMATION: Xaa=Val, Leu, or Asn 619 <220> FEATURE: 620 <221> NAME/KEY: UNSURE 621 <222> LOCATION: (15) 622 <223> OTHER INFORMATION: Xaa=Pro or Leu 624 <220> FEATURE: 625 <221> NAME/KEY: UNSURE 626 <222> LOCATION: (16) 627 <223> OTHER INFORMATION: Xaa=Ser or Cys 629 <220> FEATURE: 630 <221> NAME/KEY: UNSURE 631 <222> LOCATION: (17) 632 <223> OTHER INFORMATION: Xaa=Pro, Thr, or Ala 634 <220> FEATURE: 635 <221> NAME/KEY: UNSURE 636 <222> LOCATION: (18) 637 <223> OTHER INFORMATION: Xaa=Pro, Arg, or Ser 639 <220> FEATURE: 640 <221> NAME/KEY: UNSURE 641 <222> LOCATION: (19) 642 <223> OTHER INFORMATION: Xaa=Pro, Val, Phe, or Leu 644 <220> FEATURE: 645 <221> NAME/KEY: UNSURE

PATENT APPLICATION: US/09/744,100A TIME: 11:42:19 Input Set : A:\bbll74 seq listing.txt Output Set: N:\CRF3\01182002\I744100A.raw 646 <222> LOCATION: (20) 647 <223> OTHER INFORMATION: Xaa=Ser, Lys, Thr, or Arg 649 <220> FEATURE: 650 <221> NAME/KEY: UNSURE 651 <222> LOCATION: (21) 652 <223> OTHER INFORMATION: Xaa=Gly, Phe, or Asn I what about Xaa at location 22? 654 <220> FEATURE: 655 <221> NAME/KEY: UNSURE 656 <222> LOCATION: (23) 657 <223> OTHER INFORMATION: Xaa=Thr, Ala, or Asn 659 <220> FEATURE: 660 <221> NAME/KEY: UNSURE 661 <222> LOCATION: (24) 662 <223> OTHER INFORMATION: Xaa=Leu, Pro, or Lys 664 <220> FEATURE: 665 <221> NAME/KEY: UNSURE 666 <222> LOCATION: (25) 667 <223> OTHER INFORMATION: Xaa=Ser, Gly, Pro, or Lys 669 <220> FEATURE: 670 <221> NAME/KEY: UNSURE 671 <222> LOCATION: (26) 672 <223> OTHER INFORMATION: Xaa=Ser, Pro, Gln, or Ala 674 <220> FEATURE: 675 <221> NAME/KEY: UNSURE 676 <222> LOCATION: (27) 677 <223> OTHER INFORMATION: Xaa=Asn or Ala 679 <220> FEATURE: 680 <221> NAME/KEY: UNSURE 681 <222> LOCATION: (28) 682 <223> OTHER INFORMATION: Xaa=His, Gln, or Arg 684 <220> FEATURE: 685 <221> NAME/KEY: UNSURE 686 <222> LOCATION: (29) 687 <223> OTHER INFORMATION: Xaa=Ala, Leu, or Val 689 <220> FEATURE: 690 <221> NAME/KEY: UNSURE 691 <222> LOCATION: (30) 692 <223> OTHER INFORMATION: Xaa=Ser, Lys, Thr, or Arg 694 <220> FEATURE: 695 <221> NAME/KEY: UNSURE 696 <222> LOCATION: (31) 697 <223> OTHER INFORMATION: Xaa=Pro or Thr 699 <220> FEATURE:

RAW SEQUENCE LISTING

700 <221> NAME/KEY: UNSURE 701 <222> LOCATION: (32)

705 <221> NAME/KEY: UNSURE 706 <222> LOCATION: (33)

704 <220> FEATURE:

702 <223> OTHER INFORMATION: Xaa=Leu, Ile or Ser

Input Set : A:\bb1174 seq listing.txt
Output Set: N:\CRF3\01182002\1744100A.raw

707 <223> OTHER INFORMATION: Xaa=Ala or His 709 <220> FEATURE: 710 <221> NAME/KEY: UNSURE 711 <222> LOCATION: (34) 712 <223> OTHER INFORMATION: Xaa=Ala or Ser 714 <220> FEATURE: 715 <221> NAME/KEY: UNSURE 716 <222> LOCATION: (35) 717 <223> OTHER INFORMATION: Xaa=Pro, Ser, or Phe 719 <220> FEATURE: 720 <221> NAME/KEY: UNSURE 721 <222> LOCATION: (36) 722 <223> OTHER INFORMATION: Xaa=Pro, Thr, or Ala 724 <220> FEATURE: 725 <221> NAME/KEY: UNSURE 726 <222> LOCATION: (37) 727 <223> OTHER INFORMATION: Xaa=Cys, Ala, Śer, or Pro 729 <220> FEATURE: 730 <221> NAME/KEY: UNSURE 731 <222> LOCATION: (38) 732 <223> OTHER INFORMATION: Xaa=Arg, Pro, Thr, or His 734 <220> FEATURE: 735 <221> NAME/KEY: UNSURE 736 <222> LOCATION: (39) 737 <223> OTHER INFORMATION: Xaa=Arg, Gly, or none 739 <220> FEATURE: 740 <221> NAME/KEY: UNSURE 741 <222> LOCATION: (40) 742 <223> OTHER INFORMATION: Xaa=Arg or Leu 744 <220> FEATURE: 745 <221> NAME/KEY: UNSURE 746 <222> LOCATION: (41) 747 <223> OTHER INFORMATION: Xaa=Ser or Arg 749 <220> FEATURE: 750 <221> NAME/KEY: UNSURE 751 <222> LOCATION: (42) 752 <223> OTHER INFORMATION: Xaa=Arg, Cys, His, or Gly 754 <220> FEATURE: 755 <221> NAME/KEY: UNSURE 756 <222> LOCATION: (43) 757 <223> OTHER INFORMATION: Xaa=Arg or Leu 759 <220> FEATURE: 760 <221> NAME/KEY: UNSURE 761 <222> LOCATION: (44) 762 <223> OTHER INFORMATION: Xaa=Arg or Ala 764 <220> FEATURE: 765 <221> NAME/KEY: UNSURE 766 <222> LOCATION: (45) 767 <223> OTHER INFORMATION: Xaa=Ile, Leu, or Val

```
769 <220> FEATURE:
770 <221> NAME/KEY: UNSURE
771 <222> LOCATION: (46)
772 <223> OTHER INFORMATION: Xaa=Ser, Ala, or none
774 <220> FEATURE:
775 <221> NAME/KEY: UNSURE
776 <222> LOCATION: (47)
777 <223> OTHER INFORMATION: Xaa=Ala, Val, or none
779 <220> FEATURE:
780 <221> NAME/KEY: UNSURE
781 <222> LOCATION: (48)
782 <223> OTHER INFORMATION: Xaa=Thr, Val, or none
784 <220> FEATURE:
785 <221> NAME/KEY: UNSURE
786 <222> LOCATION: (49)
787 <223> OTHER INFORMATION: Xaa=Ala or Ser
789 <220> FEATURE:
790 <221> NAME/KEY: UNSURE
791 <222> LOCATION: (50)
792 <223> OTHER INFORMATION: Xaa=Thr, Ala, or Asn
794 <220> FEATURE:
795 <221> NAME/KEY: UNSURE
796 <222> LOCATION: (51) (52)
797 <223> OTHER INFORMATION: Xaa=Ala or Ser
799 <220> FEATURE:
800 <221> NAME/KEY: UNSURE
801 <222> LOCATION: (53)
802 <223> OTHER INFORMATION: Xaa=Pro, Gln, or Ser
804 <220> FEATURE:
805 <221> NAME/KEY: UNSURE
806 <222> LOCATION: (54)
807 <223> OTHER INFORMATION: Xaa=Ser, Ala, or Pro
809 <220> FEATURE:
810 <221> NAME/KEY: UNSURE
811 <222> LOCATION: (55)
812 <223> OTHER INFORMATION: Xaa=Pro, Ala, or Leu
814 <220> FEATURE:
815 <221> NAME/KEY: UNSURE
816 <222> LOCATION: (56)
817 <223> OTHER INFORMATION: Xaa=Ser, Leu, or Ala
819 <220> FEATURE:
820 <221> NAME/KEY: UNSURE
825 <221> NAME/KEY: UNSURE
826 <222> LOCATION: (59)
827 <223> OTHER INFORMATION: (Xaa=Ala, Glu, or Gln) Alais at location 59
829 <220> FEATURE:
```

Input Set : A:\bb1174 seq listing.txt
Output Set: N:\CRF3\01182002\1744100A.raw

830 <221> NAME/KEY: UNSURE 831 <222> LOCATION: (60) 832 <223> OTHER INFORMATION: Xaa=Ala or Thr 834 <220> FEATURE: 835 <221> NAME/KEY: UNSURE 836 <222> LOCATION: (62) 837 <223> OTHER INFORMATION: Xaa=Thr, Ser, or none 839 <220> FEATURE: 840 <221> NAME/KEY: UNSURE 841 <222> LOCATION: (63) 842 <223> OTHER INFORMATION: Xaa=Glu or Ala 844 <220> FEATURE: 845 <221> NAME/KEY: UNSURE 846 <222> LOCATION: (64) 847 <223> OTHER INFORMATION: Xaa=Ala, Ser, or Gly 849 <220> FEATURE: 850 <221> NAME/KEY: UNSURE 851 <222> LOCATION: (65) 852 <223> OTHER INFORMATION: Xaa=Leu or Gln 854 <220> FEATURE: 855 <221> NAME/KEY: UNSURE 856 <222> LOCATION: (66) 857 <223> OTHER INFORMATION: Xaa=Ser, Tyr or Asn 859 <220> FEATURE: 860 <221> NAME/KEY: UNSURE 861 <222> LOCATION: (74) 862 <223> OTHER INFORMATION: Xaa=Ala or Ser 864 <220> FEATURE: 865 <221> NAME/KEY: UNSURE 866 <222> LOCATION: (80) 867 <223> OTHER INFORMATION: Xaa=Arg or Lys 869 <220> FEATURE: 870 <221> NAME/KEY: UNSURE 871 <222> LOCATION: (82) 872 <223> OTHER INFORMATION: Xaa=Arg or Lys 874 <220> FEATURE: 875 <221> NAME/KEY: UNSURE 876 <222> LOCATION: (86) 877 <223> OTHER INFORMATION: Xaa=Val or Ile 879 <220> FEATURE: 880 <221> NAME/KEY: UNSURE 881 <222> LOCATION: (106) 882 <223> OTHER INFORMATION: Xaa=Arg or Asn 884 <220> FEATURE: 885 <221> NAME/KEY: UNSURE 886 <222> LOCATION: (117) 887 <223> OTHER INFORMATION: Xaa=Arg or His W--> 888 <220> FEATURE: 889 <221> NAME/KEY: UNSURE

```
PATENT APPLICATION: US/09/744,100A
                                                              TIME: 11:42:19
                     Input Set : A:\bbl174 seq listing.txt
                     Output Set: N:\CRF3\01182002\I744100A.raw
     890 <222> LOCATION: (133)
     891 <223> OTHER INFORMATION: Xaa=Leu, Gly or Gln
W--> 892 <220> FEATURE:
     893 <221> NAME/KEY: UNSURE
     894 <222> LOCATION: (135)
     895 <223> OTHER INFORMATION: Xaa=Val or Lys
W--> 897 <220> FEATURE:
     898 <221> NAME/KEY: UNSURE
     899 <222> LOCATION: (136)
     900 <223> OTHER INFORMATION: Xaa=Gly or Asn
W--> 902 <220> FEATURE:
     903 <221> NAME/KEY: UNSURE
     904 <222> LOCATION: (137)
     905 <223> OTHER INFORMATION: Xaa=Val or Ile
W--> 907 <220> FEATURE:
     908 <221> NAME/KEY: UNSURE
     909 <222> LOCATION: (138)
     910 <223> OTHER INFORMATION: Xaa=Glu or Pro
W--> 912 <220> FEATURE:
     913 <221> NAME/KEY: UNSURE
     914 <222> LOCATION: (139)
                                                         I what about Xaa at location 140?
     915 <223> OTHER INFORMATION: Xaa=Gln or Val
W--> 917 <220> FEATURE:
     918 <221> NAME/KEY: UNSURE
     919 <222> LOCATION: (142)
     920 <223> OTHER INFORMATION:
                                  Xaa=Asp or Asn
W--> 922 <220> FEATURE:
     923 <221> NAME/KEY: UNSURE
     924 <222> LOCATION: (150)
   925 <223> OTHER INFORMATION: Xaa=Leu or Asp
W--> 927 <220> FEATURE:
     928 <221> NAME/KEY: UNSURE
     929 <222> LOCATION: (151)
     930/ <223> OTHER INFORMATION: Xaa=Thr or Asn
W--> 932 <220> FEATURE:
     933 <221> NAME/KEY: UNSURE
     934 <222> LOCATION: (154)
     935 <223> OTHER INFORMATION: Xaa=Val or Ile
W--> 937 <220> FEATURE:
     938 <221> NAME/KEY: UNSURE
     939 <222> LOCATION: (156)
     940 <223> OTHER INFORMATION: (Xaa=Glu or Ser
                                                                  what about Xaa at location 15%,
W--> 942 <220> FEATURE:
     943 <221> NAME/KEY: UNSURE Val is at Location 16/
     944 <222> LOCATION: (161)
                                                             Furtat about Xaa at location 162?
    945 <223> OTHER INFORMATION; Xaa=Gly or Arg
W--> 947 <220> FEATURE:
     948 <221> NAME/KEY: UNSURE
     949 <222> LOCATION: (166)
                               sup8
```

RAW SEQUENCE LISTING

```
PATENT APPLICATION: US/09/744,100A
                                                             TIME: 11:42:19
                     Input Set : A:\bb1174 seq listing.txt
                     Output Set: N:\CRF3\01182002\1744100A.raw Lys is at location 166
                                                                 what about Xaa at location 16??
I what about Xaa at location 169?
     950 <223> OTHER INFORMATION / Xaa=Asn, Glu, Thr or Gln
W--> 952 <220> FEATURE:
     953 <221> NAME/KEY: UNSURE "Ile" is at location 172
     954 <222> LOCATION: (172)
     955 <223> OTHER INFORMATION / Xaa=Asn, Lys or Arg
W--> 957 <220> FEATURE:
     958 <221> NAME/KEY: UNSURE
     959 <222> LOCATION: (173)
     960 <223> OTHER INFORMATION: Xaa=Ile, Leu, Lys or Pro
W--> 962 <220> FEATURE:
     963 <221> NAME/KEY: UNSURE
                                                  > what about Xaa at location 175?
     964 <222> LOCATION: (174)
                                  Xaa=Ala or Pro
     965 <223> OTHER INFORMATION:
W--> 967 <220> FEATURE:
                                                     Fulat about Xaa at location 178?
     968 <221> NAME/KEY: UNSURE
     969 <222> LOCATION: (177)
     970 <223> OTHER INFORMATION: Xaa=Thr or Ser
W--> 972 <220> FEATURE:
     973 <221> NAME/KEY: UNSURE
                                                  Ala" is at location 179
     974 <222> LOCATION: (179)
                                  Xaa=Val or Ile
     975 <223> OTHER INFORMATION:(
W--> 977 <220> FEATURE:
                                                     -) what about Xaa at Location 181?
     978 <221> NAME/KEY: UNSURE
     979 <222> LOCATION: (180)
     980 <223> OTHER INFORMATION: Xaa=Gly or Ser
W--> 982 <220> FEATURE:
     983 <221> NAME/KEY: UNSURE
     984 <222> LOCATION: (183)
     985 <223> OTHER INFORMATION: Xaa=Gly, Trp or Arg
W--> 987 <220> FEATURE:
     988 <221> NAME/KEY: UNSURE
     989 <222> LOCATION: (184)
     990 <223> OTHER INFORMATION: Xaa=Lys or Met
W--> 992 <220> FEATURE:
     993 <221> NAME/KEY: UNSURE
     994 <222> LOCATION: (185)
     995 <223> OTHER INFORMATION: Xaa=Asp or Glu
W--> 997 <220> FEATURE:
                                  Xaa-Gly or Ala) what about Xaa at location 187?
     998 <221> NAME/KEY: UNSURE
     999 <222> LOCATION: (186)
     1000 <223> OTHER INFORMATION:
W--> 1002 <220> FEATURE:
                                   Xaa=Ile or Leu Leu is at Location 189
     1003 <221> NAME/KEY: UNSURE
     1004 <222> LOCATION: (189)
     1005 <223> OTHER INFORMATION
W--> 1007 <220> FEATURE:
     1008 <221> NAME/KEY: UNSURE
     1009 <222> LOCATION: (190)
     1010 <223> OTHER INFORMATION: Xaa=Thr or Asn
```

RAW SEQUENCE LISTING

DATE: 01/19/2002

PATENT APPLICATION: US/09/744,100A

TIME: 11:42:19

```
W--> 1012 <220> FEATURE:
     1013 <221> NAME/KEY: UNSURE
                                                     Pro" is at location 194
     1014 <222> LOCATION: (191)
     1015 <223> OTHER INFORMATION: Xaa=Glu or Ala
W--> 1017 <220> FEATURE:
     1018 <221> NAME/KEY: UNSURE
     1019 <222> LOCATION: (194)
     1020 <223> OTHER INFORMATION:
                                   Xaa=Ala or Ser
W--> 1022 <220> FEATURE:
     1023 <221> NAME/KEY: UNSURE
     1024 <222> LOCATION: (196)
     1025 <223> OTHER INFORMATION: Xaa=Asn, Lys or Asp
W--> 1027 <220> FEATURE:
     1028 <221> NAME/KEY: UNSURE
     1029 <222> LOCATION: (197)
     1030 <223> OTHER INFORMATION: Xaa=Glu or Ala
W--> 1032 <220> FEATURE:
     1033 <221> NAME/KEY: UNSURE
     1034 <222> LOCATION: (198)
     1035 <223> OTHER INFORMATION: Xaa=Lys or Ala
W--> 1037 <220> FEATURE:
     1038 <221> NAME/KEY: UNSURE
                                                          > what about Xaa at location 200?
     1039 <222> LOCATION: (199)
     1040 <223> OTHER INFORMATION: Xaa=Ala,
W--> 1042 <220> FEATURE:
                                                      "Leu" is at location 201
     1043 <221> NAME/KEY: UNSURE
     1044 <222> LOCATION: (201)
     1045 <223> OTHER INFORMATION (Xaa=Gly or Arg
W--> 1047 <220> FEATURE:
                                                         Juletalout Xaa at location
"is at location 205.
     1048 <221> NAME/KEY: UNSURE
     1049 <222> LOCATION: (202)
     1050 <223> OTHER INFORMATION: Xaa=Phe or Tyr
W--> 1052 <220> FEATURE:
     1053 <221> NAME/KEY: UNSURE
     1054 <222> LOCATION: (205)
     1055 <223 > OTHER INFORMATION
                                   Xaa=Glu or Gly
W--> 1057 <220> FEATURE:
     1058 <221> NAME/KEY: UNSURE
     1059 <222> LOCATION: (207)
     1060 <223> OTHER INFORMATION:
W--> 1062 <220> FEATURE:
     1063 <221> NAME/KEY: UNSURE
                                                   "Arg" is at location 209
     1064 <222> LOCATION: (209)
     1065 <223> OTHER INFORMATION: (Xaa=Val or Lys
W--> 1067 <220> FEATURE:
     1068 <221> NAME/KEY: UNSURE
     1069 <222> LOCATION: (210)
     1070 <223> OTHER INFORMATION: Xaa=Asp or Asn
W--> 1072 <220> FEATURE:
```

```
1073 <221> NAME/KEY: UNSURE
     1074 <222> LOCATION: (211)
     1075 <223> OTHER INFORMATION: Xaa=Ala or Pro
W--> 1077 <220> FEATURE:
     1078 <221> NAME/KEY: UNSURE
                                Xaa=Arg or His Leu si at breatin 215
     1079 <222> LOCATION: (212)
    1080 <223 > OTHER INFORMATION: Xaa=Thr, Ala or
W--> 1082 <220> FEATURE:
    1083 <221> NAME/KEY: UNSURE
     1084 <222> LOCATION: (215)
    1085 <223> OTHER INFORMATION
W--> 1087 <220> FEATURE:
    1088 <221> NAME/KEY: UNSURE
     1089 <222> LOCATION: (216)
    1090 <223> OTHER INFORMATION: Xaa=Pro or Ser
    W--> 1092 <220> FEATURE:
W--> 1097 <220> FEATURE:
W--> 1102 <220> FEATURE:
    1105 <223> OTHER INFORMATION: Xaa=Thr, Ala or Ser
W--> 1107 <220> FEATURE:
     1108 <221> NAME/KEY: UNSURE
    1109 <222> LOCATION: (221)
                                                           -) what about Xaa at location
    1110 <223> OTHER INFORMATION: Xaa=Gly or Ser
W--> 1112 <220> FEATURE:
     1113 <221> NAME/KEY: UNSURE
                                                Val is at location 226
    1114 <222> LOCATION: (226)
    1115 <223> OTHER INFORMATION: (Xaa=Val or Ile
W--> 1117 <220> FEATURE:
    1118 <221> NAME/KEY: UNSURE
    1119 <222> LOCATION: (228)
                                                     ) what about Xaa at Location 229?
    1120 <223> OTHER INFORMATION: Xaa=Thr or Ser
W--> 1122 <220> FEATURE:
    1123 <221> NAME/KEY: UNSURE
    1124 <222> LOCATION: (230)
                                 Xaa=Gly or Ala
    1125 <223> OTHER INFORMATION
                                                 at location 231?

"Clu" is at location 234 ) what about Xaa
at location
W--> 1127 <220> FEATURE:
    1128 <221> NAME/KEY: UNSURE
    1129 <222> LOCATION: (234)
    1130 <223> OTHER INFORMATION: Xaa=Thr or Ser
W--> 1132 <220> FEATURE:
    1133 <221> NAME/KEY: UNSURE
```

PATENT APPLICATION: US/09/744,100A

DATE: 01/19/2002 TIME: 11:42:19

```
1134 <222> LOCATION: (237)
     1135 <223> OTHER INFORMATION(:
W--> 1137 <220> FEATURE:
     1138 <221> NAME/KEY: UNSURE
     1139 <222> LOCATION: (245)
     1140 <223 > OTHER INFORMATION
                                     Xaa=Ala or Val
W--> 1142 <220> FEATURE:
     1143 <221> NAME/KEY: UNSURE
     1144 <222> LOCATION: (249)
     1145 <223> OTHER INFORMATION: Xaa=Ile or Leu
W--> 1147 <220> FEATURE:
     1148 <221> NAME/KEY: UNSURE
     1149 <222> LOCATION: (252)
     1150 <223> OTHER INFORMATION€
W--> 1152 <220> FEATURE:
     1153 <221> NAME/KEY: UNSURE
     1154 <222> LOCATION: (253)
     1155 <223> OTHER INFORMATION: Xaa=Ile, Leu or Val
W--> 1157 <220> FEATURE:
     1158 <221> NAME/KEY: UNSURE
     1159 <222> LOCATION: (256)
                                    Xaa=Ala or Ser
     1160 <223> OTHER INFORMATION
W--> 1162 <220> FEATURE:
     1163 <221> NAME/KEY: UNSURE
     1164 <222> LOCATION: (259)
     1165 <223> OTHER INFORMATION: (Xaa=fle or Lew
                                                          is at breatin 261 location 260?

What about Xaa at breatin 262?

What about Xaa at breatin 266?
W--> 1167 <220> FEATURE:
     1168 <221> NAME/KEY: UNSURE
     1169 <222> LOCATION: (261)
     1170 <223> OTHER INFORMATION
                                     Xaa=Ile or Leu
W--> 1172 <220> FEATURE:
     1173 <221> NAME/KEY: UNSURE
     1174 <222> LOCATION: (269)
     1175 <223> OTHER INFORMATION
W--> 1177 <220> FEATURE:
     1178 <221> NAME/KEY: UNSURE
     1179 <222> LOCATION: (272)
     1180 <223> OTHER INFORMATION
                                    Xaa=Asp or Asn
W--> 1182 <220> FEATURE:
     1183 <221> NAME/KEY: UNSURE
     1184 <222> LOCATION: (275)
     1185 <223> OTHER INFORMATION Xaa=Gly or Asp
W--> 1187 <220> FEATURE:
     1188 <221> NAME/KEY: UNSURE
     1189 <222> LOCATION: (176)
     1190 <223> OTHER INFORMATION: (Xaa=Thr, Ala or Gly
W--> 1192 <220> FEATURE:
     1193 <221> NAME/KEY: UNSURE
     1194 <222> LOCATION: (182)
```

```
PATENT APPLICATION: US/09/744,100A
                                                                TIME: 11:42:19
                      Input Set : A:\bb1174 seq listing.txt
                     Output Set: N:\CRF3\01182002\1744100A.raw
                                                       "Leur is at location 182
     1195 <223> OTHER INFORMATION: Xaa=Ser or Cys
W--> 1197 <220> FEATURE:
     1198 <221> NAME/KEY: UNSURE
     1199 <222> LOCATION: (227)
     1200 <223> OTHER INFORMATION: Xaa=Ala or Thr
W--> 1202 <220> FEATURE:
                                                             "Lys" in at location 280
     1203 <221> NAME/KEY: UNSURE
     1204 <222> LOCATION: (280)
                                    Xaa=Val, Glu or Lys
     1205 <223> OTHER INFORMATION
W--> 1207 <220> FEATURE:
     1208 <221> NAME/KEY: UNSURE
                                                           ) what about Xaa at location 282?
     1209 <222> LOCATION: (281)
     1210 <223> OTHER INFORMATION: Xaa=Val or Ile
W--> 1212 <220> FEATURE:
                                                       "Ile" is at lacetin 284
     1213 <221> NAME/KEY: UNSURE
     1214 <222> LOCATION: (284)
                                                          "Arg" is at location 285?

"Arg" is at location 288?

The should Xaa at location 289?
                                    Xaa=Lys or Ala
     1215 <223> OTHER INFORMATION
W--> 1217 <220> FEATURE:
     1218 <221> NAME/KEY: UNSURE
     1219 <222> LOCATION: (288)
1220 <223> OTHER INFORMATION (W--> 1222 <220> FEATURE:
                                             Gln or Arg
                                    Xaa=Lys,
     1223 <221> NAME/KEY: UNSURE
     1224 <222> LOCATION: (290)
     1225 <223> OTHER INFORMATION (Xaa=Val or Met)
W--> 1227 <220> FEATURE:
     1228 <221> NAME/KEY: UNSURE
     1229 <222> LOCATION: (291)
     1230 <223> OTHER INFORMATION: Xaa=Glu or Ala
W--> 1232 <220> FEATURE:
     1233 <221> NAME/KEY: UNSURE
                                                       -) whatabut Xaa at location 293?
     1234 <222> LOCATION: (292)
     1235 <223> OTHER INFORMATION:
                                   Xaa=Asp or Glu
W--> 1237 <220> FEATURE:
     1238 <221> NAME/KEY: UNSURE
     1239 <222> LOCATION: (294)
     1240 <223> OTHER INFORMATION:
W--> 1242 <220> FEATURE:
     1243 <221> NAME/KEY: UNSURE
     1244 <222> LOCATION: (296)
     1245 <223> OTHER INFORMATIONS
                                    Xaa=Gly or Ala
W--> 1247 <220> FEATURE:
     1248 <221> NAME/KEY: UNSURE
     1249 <222> LOCATION: (304)
                                    Xaa=Glu, Asn or Gly
     1250 <223> OTHER INFORMATION
W--> 1252 <220> FEATURE:
     1253 <221> NAME/KEY: UNSURE
                                                     Val's at location 308
     1254 <222> LOCATION: (308)
     1255 <223> OTHER INFORMATION
```

RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/744,100A


DATE: 01/19/2002 TIME: 11:42:19

W>	1257 <220> FEATURE:
., ,	1258 <221> NAME/KEY: UNSURE
	1260 <223> OTHER INFORMATION: Xaa=Ala or Ser
W>	1259 <222> LOCATION: (309) 1260 <223> OTHER INFORMATION: Xaa=Ala or Ser 1262 <220> FEATURE: 1263 <221> NAME/KEY: UNSURE 1264 <222> LOCATION: (405) 1265 <223> OTHER INFORMATION: Xaa=His or Ile Light cloud Xaa at location at location and the cloud Xaa at location at location at location and the cloud Xaa at location at locat
W>	1263 <221> NAME/KEY: UNSURE
	1264 <222> LOCATION: (405)
	1265 <223> OTHER INFORMATION: Xaa=His or Ile
Tu7 >	1267 <220> FEATURE:
W/	1265 <223> OTHER INFORMATION: Xaa=His or Ile 1267 <220> FEATURE: 1268 <221> NAME/KEY: UNSURE 1269 <222> LOCATION: (428) 1270 <223> OTHER INFORMATION: Xaa=Ala or Thr 1273 <400> SEQUENCE: 12 1274 Met Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xa
	1269 <222> LOCATION: (428)
	1270 <223> OTHER INFORMATION: Xaa=Ala or Thr
	1270 2235 OTHER INFORMATION. Add-AId OF THE
	1273 <400> SEQUENCE: 12,
W>	
	1275 1 10 15 15 1277 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa X
W>	
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
W>	1280 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xa
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
M>	1283 Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xa
	1284 50 55 60 The First State
W>	1286 Xaa Xaa Arg Val Asp Val Leu Ser Glu Xaa Leu Pro Phe Ile Gln Xaa
	1287 65 70 75 80
W>	1289 Phe Xaa Gly Lys Thr Xaa Val Val Lys Tyr Gly Gly Ala Ala Met Lys
	1290 85 90 95
W>	1292 Ser Pro Glu Leu Gln Ala Ser Val Ile Xaa Asp Leu Val Leu Ser
	1293 100 105 110 110 120 1
W>	1295 Cys Val Gly Leu Xaa Pro Val Leu Val His Gly Gly Pro Glu Ile
	1296 115 120 1298 Asn Ser Trp Leu Xaa Arg Xaa Xaa Xaa Xaa Xaa Xaa Arg Xaa Gly
W>	
	1299 130 135 (2) Wat (2) Wat (2) Wat (3) Wat (4) Wat (
W>	1301 Leu Arg Val Thr Asp(Ala Xaa Xaa) Met (Glu Xaa (Val Xaa Met Val Leu
	1302 145 150 150 150 150 150 150 150 150 150 15
W>	1304 (Val Xaa Lys Val Asn Lys Xaa Leu Xaa Ser Leu (Ile Xaa Xaa Xaa (Gly 1305)
	1305 1307 Xaa (Xaa (Xaa (Xaa (Leu) Xaa Xaa Xaa Xaa (Xaa Arg (Leu) Xaa Xaa (Xaa)
W>	
W>	1310 Arg Pro Xaa (Pro Xaa Xaa Xaa Xaa Leu Xaa (Xaa) Val Cly Xaa (Val Xaa)
	1311 Arg Xaa Xaa Xaa Xaa Val Leu Xaa Xaa (Xaa) 11e Xaa Xaa Xaa His Ile
W>	
W>	1316 Pro (Val) (Xaa) (Xaa) (Xaa) (Xaa) Ala Asp (Glu) (Xaa) Gly (Gln) (Xaa) Tyr Asn
	1317 225
W>	1319 Ile Asn Ala Asp Thr Xaa Ala Gly Glu Xaa Ala (Ala) Xaa (Xaa) Gly Ala
W>	1322 Glu Lys (Leu Xaa) Leu Xaa Fhr Asp Val (Xaa Gly Ile (Leu Xaa) Asp Arg)
F.T .	
W>	1325 Xaa Asp (Pro Kaa Ser Leu Val Lys Xaa Asp (Ile Xaa) Gly Val (Arg)
	1326 275 Xan 6K 2 285

PATENT APPLICATION: US/09/744,100A

DATE: 01/19/2002 TIME: 11:42:19

Input Set : A:\bb1174 seq listing.txt Output Set: N:\CRF3\01182002\1744100A.raw



1338 E--> 1341

Use of n and/or Xaa has been detected in the Sequence Listing. Review the Sequence Listing to insure a corresponding explanation is presented in the <220> to <223> fields of each sequence using n or Xaa.



VERIFICATION SUMMARY DATE: 01/19/2002
PATENT APPLICATION: US/09/744,100A TIME: 11:42:20

```
L:143 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3
L:201 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4
L:350 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:351 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7
L:404 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:407 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8
L:888 M:283 W: Missing Blank Line separator, <220> field identifier
L:892 M:283 W: Missing Blank Line separator, <220> field identifier
L:1274 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1277 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1280 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1283 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1286 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1289 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1292 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1295 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1298 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1301 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1304 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1307 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1310 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1313 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1316 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1322 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1325 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1328\ M:341\ W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1331 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1337\ M:341\ W: (46) "n" or "Xaa" used, for SEQ ID#:12
L:1341 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:12
```